

Committee Draft ISO/IEC CD	
Date: 2005-12-28	Reference number: ISO/JTC 1/SC 32N1394
Supersedes document SC 32N1181	

THIS DOCUMENT IS STILL UNDER STUDY AND SUBJECT TO CHANGE. IT SHOULD NOT BE USED FOR REFERENCE PURPOSES.

ISO/IEC JTC 1/SC 32 Data Management and Interchange Secretariat: USA (ANSI)	Circulated to P- and O-members, and to technical committees and organizations in liaison for voting (P-members only) by:
	2006-03-27 Please return all votes and comments in electronic form directly to the SC 32 Secretariat by the due date indicated.

ISO/IEC CD 20944-43:200x(E)
Title: Information technology - Metadata Registry Interoperability & Bindings (MDR-IB) Part 43: Java API Binding
Project: 1.32.17.01.43.00

Introductory note: The attached document is hereby submitted for a three-month letter ballot to the National Bodies of ISO/IEC JTC 1/SC 32. The ballot starts 2005-12-28.

Medium: E

No. of pages: 15

Address Reply to: SC 32 Secretary, ISO/IEC JTC 1/SC 32, Farance Inc, Island Box 256, New York, NY 10044-0205, United States of America

Telephone: +1 212 486-4700; E-mail: SC32-Sec@JTC1SC32.org

Reference number of working document: ISO/IEC JTC1 **SC32 N1394**

Date: 2005-12-25

Reference number of document: **ISO/IEC CD2 20944-43**
[Release Sequence #8]

Committee identification: ISO/IEC JTC1 SC32 WG2

SC32 Secretariat: US

**Information technology —
Metadata Registries Interoperability and Bindings (MDRIB) —
Part 43: Java API binding**

Warning

This document is not an ISO International Standard. It is distributed for review and comment. It is subject to change without notice and may not be referred to as an International Standard.

Recipients of this draft are invited to submit, with their comments, notification of any relevant patent rights of which they are aware and to provide supporting documentation.

Document type: International standard
Document subtype: if applicable
Document stage: (30) Committee
Document language: E

Copyright notice

This ISO document is a working draft or committee draft and is copyright-protected by ISO. While the reproduction of working drafts or committee drafts in any form for use by participants in the ISO standards development process is permitted without prior permission from ISO, neither this document nor any extract from it may be reproduced, stored or transmitted in any form for any other purpose without prior written permission from ISO.

Requests for permission to reproduce this document for the purpose of selling it should be addressed as shown below or to ISO's member body in the country of the requester:

*ISO copyright office
Case postale 56
CH-1211 Geneva 20
Tel. +41 22 749 01 11
Fax +41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org*

Reproduction for sales purposes may be subject to royalty payments or a licensing agreement.

Violators may be prosecuted.

Contents

Page

Foreword	iv
Introduction.....	vi
1 Scope.....	1
2 Normative references.....	1
3 Terms and definitions	1
4 API mapping.....	2
4.1 Datatype mapping	2
4.2 Function parameter mapping.....	2
4.3 Function return mapping	3
4.4 Function exception mapping	3
5 Procedure call signatures	3
5.1 Session establishment services	3
5.1.1 Connect	3
5.1.2 Disconnect	3
5.1.3 Open.....	4
5.1.4 Close.....	4
5.2 Session parameter services.....	4
5.2.1 Get path	4
5.3 Security services	4
5.3.1 Request Authorization/Authentication.....	4
5.3.2 Response Authorization/Authentication.....	4
5.4 Data transfer services	5
5.4.1 Get value	5
5.4.2 Typed get value	5
5.4.3 Put value.....	6
5.4.4 Typed put value	6
5.5 Miscellaneous	7
5.5.1 Make Object message.....	7
5.5.2 Remove Object message.....	8
5.5.3 Link Object message.....	8
5.5.4 List Object message.....	8
6 Conformance	8

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO/IEC 20944-43 was prepared by Technical Committee ISO/IEC JTC1, *Information Technology*, Subcommittee SC32, *Data Management and Interchange*.


ISO/IEC 20944 consists of the following parts, under the general title *Information technology — Metadata Registries Interoperability and Bindings (MDRIB)*:

- *Part 01: Framework*
- *Part 02: Common vocabulary*
- *Part 03: Common provisions for conformance*
- *Part 04: Generic usage*
- *Part 05: Common data structures and services*
- *Part 06: Semi-structured aggregation*
- *Part 20: Common provisions for coding bindings*
- *Part 21: XML coding binding*
- *Part 22: DIVP coding binding*
- *Part 23: ASN.1 coding binding*
- *Part 40: Common provisions for application programming interface (API) bindings*
- *Part 41: C API binding*

- *Part 42: C++ API binding*
- *Part 43: Java API binding*
- *Part 44: ECMAScript API binding*
- *Part 45: Perl binding*
- *Part 46: LISP binding*
- *Part 47: PHP binding*
- *Part 60: Common provisions for protocol bindings*
- *Part 61: SQL/CLI protocol binding*
- *Part 62: WebDAV protocol binding*
- *Part 63: SOAP protocol binding*
- *Part 64: WSDL protocol binding*
- *Part 65: LDAP protocol binding*
- *Part 66: JMS protocol binding*
- *Part 80: Common provisions for profiles*
- *Part 81: Attribute mapping for 11179-3 metadata registry metamodel*
- *Part 82: Profile for 11179-3 metadata registry metamodel*
- *Part 83: Uniform Resource Identifier (URI) suffixes for 11179-3 metadata registry metamodel navigation*

Introduction

The following diagram shows the organization of the ISO/IEC 20944 family of standards.



Organization of ISO/IEC 20944 family of standards.

This Part of ISO/IEC 20944 specifies the Java API binding, based upon the common API binding specified in Part 40.

Information technology — Metadata Registries Interoperability and Bindings (MDRIB) — Part 43: Java API binding

Editor's Note: Each part of 20944 is marked with a common sequence number ("[Release Sequence #N]") to indicate they are synchronized and harmonized among themselves. The mark "[Release Sequence #N]" does not imply that there are a complete set of N-1 prior drafts for any particular Part.

1 Scope

The ISO/IEC 20944 family of standards describe codings, APIs, and protocols for interacting with an ISO/IEC 11179 metadata registry (MDR).

This Part of this International Standard specifies the Java programming language API binding for the 20944 family of standards.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO/IEC 20944-02:—¹, *Information technology — Metadata Registries Interoperability and Bindings (MDRIB) — Common vocabulary*²

ISO/IEC 20944-40:—³, *Information technology — Metadata Registries Interoperability and Bindings (MDRIB) — Common provisions for application programming interface (API) bindings*

3 Terms and definitions

For the purposes of this document, the terms and definitions given in Part 02 and the following apply⁴.

¹ To be published.

² The international standards, technical reports, and drafts of the 11179, 20943, and 20944 series are available at
<http://metadata-standards.org/11179>
<http://metadata-standards.org/20943>
<http://metadata-standards.org/20944>

³ To be published.

3.1

referenced data interchange specification

data model that is being used for a defined interoperability binding

NOTE The term *referenced data interchange specification*, defined in 20944-02, is used throughout the 20944 family of standards to reference the data model that is being used for the bindings. The *referenced data interchange specification* is tied to the bindings via normative reference, e.g., some other standard defines a data model and uses 20944, via normative reference, to provide some coding, API, or protocol bindings. For Part 82, the *referenced data interchange specification* refers to the 11179-3 metamodel. Part 04 of this International Standard, explains how other standards and specifications may use or re-use portions of the 20944 family of standards.

4 API mapping

The binding-independent API of Part 40 is mapped to the Java programming language according to the following rules. The API services are methods of the `mdrib_handle` class.

4.1 Datatype mapping

The datatypes of Part 40 are mapped as follows:

Part 40: Binding-Independent	Part 43: Java API Binding
<code>mdrib_handle</code>	<code>mdrib_handle</code>
<code>characterstring</code>	<code>String</code>
<code>pointer</code>	<code>reference</code>
<code>str8</code>	<code>String</code>
<code>str16</code>	<code>String</code>
<code>str32</code>	--
<code>int8, uint8, int16, uint16, int32, uint32, int64, uint64, int128, uint128</code>	<code>byte, --, short, --, int, --, long, --, --, --</code>
<code>real32, real64, real80</code>	<code>float, double, --</code>
<code>procedure</code>	--

4.2 Function parameter mapping

The parameters of Part 40 are the same as the parameters for this Part.

⁴ Users and implementers of this International Standard may find it useful to reference additional terms and definitions from 20944-02.

4.3 Function return mapping

The return values of Part 40 are mapped as follows:

Part 40: Binding-Independent	Part 43: Java API Binding
state(success,failure)	int, success=0, failure=-1
characterstring	String
str8	String
str16	String
str32	String
int8, uint8, int16, uint16, int32, uint32, int64, uint64, int128, uint128	byte, --, short, --, int, --, long, --, --, --
real32, real64, real80	float, double, --

4.4 Function exception mapping

The function exceptions of Part 40 are mapped as follows:

Part 40: Binding-Independent	Part 43: Java API Binding
bad_conversion	exception thrown

5 Procedure call signatures

5.1 Session establishment services

5.1.1 Connect

Synopsis

```
mdrib_handle mdrib_connect
(
    String target, // repository to connect to
    String options // connect options
)
```

5.1.2 Disconnect

Synopsis

```
int mdrib_disconnect
(
    mdrib_handle session // session handle
)
```

5.1.3 Open

Synopsis

```
mdrib_handle mdrib_open
(
    mdrib_handle session, // session handle
    String node, // portion of repository to open
    String options // connect options
)
```

5.1.4 Close

Synopsis

```
int mdrib_close
(
    mdrib_handle session // session handle
)
```

5.2 Session parameter services

5.2.1 Get path

Synopsis

```
String mdrib_get_path
(
    mdrib_handle session // session handle
)
```

5.3 Security services

5.3.1 Request Authorization/Authentication

Synopsis

```
int mdrib_request_auth
(
    mdrib_handle session, // session handle
    String auth_type, // auth type
    String auth_options // auth options
)
```

5.3.2 Response Authorization/Authentication

Synopsis

```

int mdrib_response_auth
(
    mdrib_handle session, // session handle
    String auth_type, // auth type
    // auth_handler() // auth handler function (exception thrown)
)

```

5.4 Data transfer services

5.4.1 Get value

Synopsis

```

int mdrib_get_value
(
    mdrib_handle session, // [in] session handle
    String src_identifier, // [in] src object name
    String dst_label_type, // [in] saved label: typeof
    mdrib_object dst_label_ptr, // [out] saved label: ptr to
    String dst_type_type, // [in] saved type: typeof
    mdrib_object dst_type_ptr, // [out] saved type: ptr to
    String dst_object_type, // [in] saved value: typeof
    mdrib_object dst_object_ptr, // [out] saved value: ptr to
    String dst_proplist_type, // [in] saved proplist: typeof
    mdrib_object dst_proplist_ptr, // [out] saved proplist: ptr to
)

```

5.4.2 Typed get value

Synopsis

```

String mdrib_get_value_as_str8
(
    mdrib_handle session, // [in] session handle
    String src_identifier // [in] src object name
)

String mdrib_get_value_as_str16
(
    mdrib_handle session, // [in] session handle
    String src_identifier // [in] src object name
)

byte mdrib_get_value_as_int8
(
    mdrib_handle session, // [in] session handle
    String src_identifier // [in] src object name
)

short mdrib_get_value_as_int16
(
    mdrib_handle session, // [in] session handle
    String src_identifier // [in] src object name
)

```

```

int mdrib_get_value_as_int32
(
    mdrib_handle session, // [in] session handle
    String src_identifier // [in] src object name
)

long mdrib_get_value_as_int64
(
    mdrib_handle session, // [in] session handle
    String src_identifier // [in] src object name
)

float mdrib_get_value_as_real32
(
    mdrib_handle session, // [in] session handle
    String src_identifier // [in] src object name
)

double mdrib_get_value_as_real64
(
    mdrib_handle session, // [in] session handle
    String src_identifier // [in] src object name
)

```

5.4.3 Put value

Synopsis

```

int mdrib_put_value
(
    mdrib_handle session, // [in] session handle
    String src_identifier, // [in] src object name
    String src_label_type, // [in] assigned label: typeof
    mdrib_object src_label_ptr, // [in] assigned label: ptr to
    String src_type_type, // [in] assigned type: typeof
    mdrib_object src_type_ptr, // [in] assigned type: ptr to
    String src_object_type, // [in] assigned value: typeof
    mdrib_object src_object_ptr, // [in] assigned value: ptr to
    String src_proplist_type, // [in] assigned proplist: typeof
    mdrib_object src_proplist_ptr, // [in] assigned proplist: ptr to
)

```

5.4.4 Typed put value

Synopsis

```

int mdrib_put_value_as_str8
(
    mdrib_handle session, // [in] session handle
    String dst_identifier, // [in] dst object name
    String src_value // [in] src value
)

```

```

int mdrib_put_value_as_str16
(
    mdrib_handle session, // [in] session handle
    String dst_identifier, // [in] dst object name
    String src_value // [in] src value
)

int mdrib_put_value_as_int8
(
    mdrib_handle session, // [in] session handle
    String dst_identifier, // [in] dst object name
    byte src_value // [in] src value
)

int mdrib_put_value_as_int16
(
    mdrib_handle session, // [in] session handle
    String dst_identifier, // [in] dst object name
    short src_value // [in] src value
)

int mdrib_put_value_as_int32
(
    mdrib_handle session, // [in] session handle
    String dst_identifier, // [in] dst object name
    int src_value // [in] src value
)

int mdrib_put_value_as_int64
(
    mdrib_handle session, // [in] session handle
    String dst_identifier, // [in] dst object name
    long src_value // [in] src value
)

int mdrib_put_value_as_real32
(
    mdrib_handle session, // [in] session handle
    String dst_identifier, // [in] dst object name
    float src_value // [in] src value
)

int mdrib_put_value_as_real64
(
    mdrib_handle session, // [in] session handle
    String dst_identifier, // [in] dst object name
    double src_value // [in] src value
)

```

5.5 Miscellaneous

5.5.1 Make Object message

Synopsis

```
integer mdrib_make_object
(
    mdrib_handle session, // [in] session handle
    String src_identifier, // [in] src object name
    String src_label_type, // [in] assigned label: typeof
    mdrib_object src_label_ptr, // [in] assigned label: ptr to
    String src_type_type, // [in] assigned type: typeof
    mdrib_object src_type_ptr, // [in] assigned type: ptr to
    String src_object_type, // [in] assigned value: typeof
    mdrib_object src_object_ptr, // [in] assigned value: ptr to
    String src_proplist_type, // [in] assigned proplist: typeof
    mdrib_object src_proplist_ptr, // [in] assigned proplist: ptr to
)
```

5.5.2 Remove Object message

Synopsis

```
integer mdrib_remove_object
(
    mdrib_handle session, // [in] session handle
    String src_identifier, // [in] src object name
)
```

5.5.3 Link Object message

Synopsis

```
integer mdrib_link_object
(
    mdrib_handle session, // [in] session handle
    String src_identifier, // [in] src object name
    String dst_identifier, // [in] dst object name
    String link_type // [in] link type: soft, hard
)
```

5.5.4 List Object message

Synopsis

```
string mdrib_list_object
(
    mdrib_handle session, // [in] session handle
    String src_identifier // [in] src object name (wildcard)
)
```

6 Conformance

A conforming implementation shall conform to:

- the requirements of ISO/IEC 20944-03
- the requirements of ISO/IEC 20944-40
- the requirements of this Part